

CONTENTS OF VOLUME 6, 1991

Number 1

- | | |
|---|--|
| Editorial | 1 |
| Ulla L. Nilsson | 3 Visual rehabilitation with and without educational training in the use of optical aids and residual vision. A prospective study of patients with advanced age-related macular degeneration |
| Mehul Mehta, Osamu Katsumi, Hiroshi Sakaue, Tatsuo Hirose and Rebecca B. Rosenstein | 11 Effect of artificial distortion on the pattern reversal visual evoked response |
| Carmela Trimarchi, Giampaolo Biral, Luciano Domenici, Vittorio Porciatti and Silvia Bisti | 19 The flash- and pattern-electroretinogram generators in the cat: a pharmacological approach |
| Barbara E. S. Fox and Kenneth W. Wright | 25 Pattern visual evoked potentials in children under general anesthesia and chloral hydrate |
| Karl F. Van Orden and Joseph F. Sturr | 31 Age-related amplitude changes of the pattern reversal evoked potential depend on stimulus spatial frequency and contrast |
| Velma Dobson, Nancy A. Carpenter, Karen Bonvalot and Jennifer Bossler | 39 The acuity card procedure: interobserver agreement in infants with perinatal complications |
| Research Reports | |
| Mark O. Scase, David H. Foster, William P. Honan, James R. Heron, Martin C. Gulliford and John H. B. Scarpello | 49 Abnormalities in hue discrimination revealed with very brief stimuli in diabetes mellitus and in optic neuritis |
| F. Early and A. T. Smith | 59 Spatial frequency discrimination in normal ageing and in one case of Alzheimer's disease |
| N. Wioland, G. Rudolf and N. Bonaventure | 65 Generation of light and dark induced variations of the standing potential: effects of sodium aspartate in the chicken eye <i>in vivo</i> |
| M. J. Zwarts, A. C. Kooijman, L. Kalma and J. P. W. F. Lakke | 73 Double-flash electroretinography in Parkinson's disease |
| Letters | |
| N. Wali and L. E. Leguire | 79 On the method for fitting the Naka-Rushton equation. Corrections to Aylward (1989) |
| Davida Y. Teller | 81 The design of acuity cards: a reply to Robinson, Moseley and Fielder (1988) |
| M. J. Moseley, A. R. Fielder and J. Robinson | 85 The design of acuity cards: comments on Teller (1990) |

Number 2

- | | |
|--|---|
| M. W. Hankins and H. Ikeda | 87 The role of dopaminergic pathways at the outer plexiform layer of the mammalian retina |
| Nancy J. Newman, Jeremy M. Wolfe, Marian I. Stewart and Simmons Lessell | 95 Binocular visual function in patients with a history of monocular optic neuritis |
| Karen Holopigian, William Seiple and Mark Kupersmith | 109 VEP threshold and suprathreshold deficits in amblyopia |
| Kathleen Turano | 119 Bisection judgments in patients with retinitis pigmentosa |
| James G. May, William J. Lovegrove, Francis Martin and Peter Nelson | 131 Pattern-elicited visual evoked potentials in good and poor readers |

**P. Stanzione, M. Tagliati, M. Silvestrini,
S. Porcu and G. Bernardi**

Paul A. Sieving

**Phyllis Bobak, Michael Harrison,
Eve Higginbotham and James Goodwin**

Case Report

**James E. Bailey,
Vasudevan Lakshminarayanan
and Jay M. Enoch**

Paul A. Sieving and Kenji Wakabayashi

Harvey A. Taub and Joseph F. Sturr

**Elizabeth Thorpe Davis, Jerome Sherman,
Sherry J. Bass and Cristina M. Schnider**

Gary L. Trick

B. E. Scheffrin, A. J. Adams and J. S. Werner

**Gunilla Haegerstrom-Portnoy
and Wayne Verdon**

**Peter Kind, Chris Beaver
and Donald E. Mitchell**

Research Report

**Joseph F. Sturr, Harvey A. Taub
and Benjamin A. Hall**

Announcement

Corrigenda

- 137 Haloperidol delays pattern electroretinograms more than visual evoked potentials in normal humans: a pharmacological tool in Parkinson's disease pathophysiology

- 149 Retinal ganglion cell loss does not abolish the scotopic threshold response (STR) of the cat and human ERG

- 159 Contrast discrimination in glaucoma

- 165 The Stiles-Crawford function in an aphakic subject with retinitis pigmentosa

Number 3

- 171 Comparison of rod threshold ERG from monkey, cat, and human

- 181 The effects of age and ocular health on letter contrast sensitivity and high and medium contrast acuity as a function of luminance

- 191 Pre-surgical prediction of post-surgical visual function in cataract patients: multivariate statistical analyses of test measures

- 209 Pattern evoked retinal and cortical potentials in diabetic patients

- 219 Anomalies beyond sites of chromatic opponency contribute to sensitivity losses of an S-cone pathway in diabetes

- 229 Transient tritanopia in a blue cone monochromat

- 241 Morphological changes induced in the lateral geniculate nucleus of kittens by regimens of part-time reverse occlusion that optimize the extent of behavioral recovery from early monocular deprivation

- 257 Foveal early dark adaptation in young and older observers in good ocular health

I

II

Number 4

**Jonathan D. Victor, Mary M. Conte
and Costantino Iadecola**

Ruxandra Sireteanu

Kathleen Turano and Ronald A. Schuchard

C. M. Dickinson and P. M. A. Rabbitt

Rockefeller S. L. Young

**Koichiro Murayama, Chen Yu Kuo
and Paul A. Sieving**

Christopher W. Tyler

Research Report

Eileen E. Birch and Rand Spencer

- 261 Ocular dependence of hemifield visual evoked potentials: relevance to bilateral cortical representation of central vision

- 277 Restricted visual fields in both eyes of kittens raised with a unilateral, surgically induced strabismus: relationship to extrastriate cortical binocularity

- 289 Space perception in observers with visual field loss

- 301 Simulated visual impairment: effects on text comprehension and reading speed

- 309 Low-frequency component of the photopic ERG in patients with X-linked congenital stationary night blindness

- 317 Abnormal threshold ERG response in X-linked juvenile retinoschisis: evidence for a proximal retinal origin of the human STR

- 323 Stability of temporal sensitivity with nicotine, alcohol and progesterone intake

- 331 Monocular grating acuity of healthy preterm infants

Number 5

- J. C. Smith, J. Atkinson, S. Anker and A. T. Moore
- Shahina Pardhan and David B. Elliott
- Jay M. Enoch, Bakulesh M. Khamar and Vasudevan Lakshminarayanan
- Jay M. Enoch, Bakulesh M. Khamar and Vasudevan Lakshminarayanan
- Research Report**
- Aart C. Kooijman, Willem A. Houtman, Jan H. Assink, Leo J. B. van Beukering, Edvind S. Wold and Albert Damhof
- Technical Note**
- Richard Abadi and Ralph Worfolk
- Letter Section**
- Editorial**
- E. Zrenner
- Open Letters to the Editor**
- L. E. Leguire
- D. Regan
- Denis G. Pelli and J. G. Robson
- 335 A prospective study of binocularity and amblyopia in strabismic infants before and after corrective surgery: implications for the human critical period
- 355 Clinical measurements of binocular summation and inhibition in patients with cataract
- 361 Static and kinetic perimetric field defects in Gilles de la Tourette Syndrome: quantifying step-like visual field defects
- 371 Changes in step-like field defects in Gilles de la Tourette Syndrome measured after a period of one year
- 379 Spectral sensitivity function of the α -wave of the human electroretinogram in the dark-adapted eye
- 385 Harmonic analysis of congenital nystagmus waveforms
- 389 Should letter charts be used to measure contrast sensitivity?
- 391 Do letter charts measure contrast sensitivity?
- 401 Do letter charts measure contrast sensitivity?
- 409 Are letters better than gratings?

Number 6

- William Seiple and Karen Holopigian
- B. Falsini, A. Colotto, V. Porciatti, L. Buzzonetti, A. Coppè and L. A. De Luca
- M. G. Bucci, V. Parisi, R. Giannini and P. M. Rossini
- V. Martinelli, M. Filippi, F. Meschi, G. Pozza, N. Canal and G. C. Comi
- Yutaka Shirao, Tadashi Okumura, Taeko Ohta and Kazuo Kawasaki
- Lewis Reich, Vasudevan Lakshminarayanan and Jay M. Enoch
- Russ Watkins, Tim Coker and Terry Buckingham
- Sheldon M. Ebenholtz
- Short Communication**
- David B. Elliott, Mark A. Bullimore and Ian L. Bailey
- 413 Nonlinearities in the focal electroretinogram
- 423 Macular flicker- and pattern-ERGs are differently affected in ocular hypertension and glaucoma
- 431 Recordings of visual evoked potentials after photostress in artificially increased intraocular pressure
- 437 Electrophysiological study of optic pathways in insulin dependent diabetes mellitus
- 445 Clinical importance of electroretinographic oscillatory potentials in early detection and objective evaluation for diabetic retinopathy
- 451 Analysis of the method of adjustment for testing potential acuity with the hyperacuity gap test—a preliminary report
- 457 Optic neuritis elevates hyperacuity thresholds for oscillatory movement
- 463 Effects of ocular-vergence stress on adaptation of tonic accommodation
- 471 Improving the reliability of the Pelli–Robson contrast sensitivity test

